```
36 ANSWER 2 OF 4 USPATFULL AN 1999:33576 USPATFULL
       Topical pain-relieving preparation containing
ΤI
       C.sub.12 To C.sub.18 isoparaffins
       Koeniger, Erich A., 5600 Bridget St., Metairie, LA, United States 70003
IN
       Lim, Drahoslay, 7110 Dennison Pl., San Diego, CA, United States 92122
                                19990316
PΙ
       US 5882663
                                19970602 (8)
       US 1997-867673
ΑI
RLI
       Continuation of Ser. No. US 1995-546326, filed on 20 Oct 1995, now
       abandoned
       Utility
ĎΤ
FS
       Granted
EXNAM
       Primary Examiner: Bawa, Raj
       Morgan & Finnegan, L.L.P.
LREP
       Number of Claims: 8
CLMN
ECL
       Exemplary Claim: 1
DRWN
       No Drawings
LN.CNT 212
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       A method for providing pain relief includes topically applying
      to skin tissue an effective amount of higher homologs of isoparaffins,
       ranging from about C.sub.12 to C.sub.18. Compositions of the present
       invention include, with the isoparaffins in a mixture, at least one from
       the group consisting of salicylate, capsaicin, camphor, and
       menthol. Other constituents may be added for form creams or
```

lotions.

```
6 ANSWER 1 OF 4 USPATFULL
       2001:148004 USPATFULL
AN
       Topical treatment of pain and to promote healing
ΤI
       Rhodes, Donald A., 4833 S. Staples, Corpus Christi, TX, United States
IN
       US 6284797
                                20010904
PΪ
       US 1999-289878 '
ÀΙ
                                19990412 (9)
DT
       Utility
       GRANTED
       Primary Examiner: Page, Thurman K.; Assistant Examiner: Howard, S.
EXNAM
       Moller, G Turner
LREP
CLMN
       Number of Claims: 19
ECL
       Exemplary Claim: 1
DRWN
       No Drawings
LN.CNT 349
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       A topical therapeutic preparation includes capsaicin
       which is an extract of peppers or chiles and which is a potent local
       pain killer. The ointment also includes a norepinephrine
       inhibitor and preferably a vasodilator which act to promote blood
       circulation in the treatment area and thereby promote healing of tissues
       in the treatment area. The ointment also preferably includes a local
       pain killer to offset the irritating effects of the
       capsaicin and a promoter of transcutaneous absorption.
```